

PUBLIC NOTICE POSTING REQUEST
TO OFFICE OF TOWN CLERK

TIME

STAMP

ORGANIZATION: Board of Health

MEETING X

PUBLIC HEARING
circle/check appropriately)

(Please

DAY and DATE: Monday, November 6, 2017 TIME: 9:00 a.m.

LOCATION: Georgetown Town Hall 1 Library Street, Georgetown, MA ,2nd Floor Meeting Room

PURPOSE: Regular Meeting

REQUESTED BY: Virginia Bacon, Health Inspector

ALL MEETING NOTICES MUST BE FILED AND TIME STAMPED IN THE TOWN CLERK'S OFFICE AND POSTED ON THE MUNICIPAL BULLETIN BOARD 48 HOURS PRIOR TO THE MEETING. (in accordance with Chapter 303 Acts of 1975)

AGENDA

Variance:

9 WALDINGFIELD ROAD – Groundwater separation to leach area from 5' required to 3' provided with Presby System.

9 BOARDMAN STREET – 1.) Groundwater separation to leach area from 5' required to 3' provided with Presby System. 2.) Setback to soil absorption system from swimming pool from 20' required to 13' provided with Presby System. 3.) Leach area overdig from 5' required to 3' provided. 4.) S.A.S. setback from wetland from 100' required to 55' provided with Presby system.

48 LAKESHORE DRIVE - 1.) Cellar Wall distance required 20' to Soil absorption system to 11'. 2.) Minimum vertical separation to estimated seasonal high groundwater required 4' to 3'.

DISCUSSIONS:

Deborah Rogers re-imbusement for vehicle repairs (hitting deer)

Approve minutes of meeting for – May11, 2016 , August 28, 2017 & October 2, 2017

